The Royal Liverpool and **NHS**Broadgreen University Hospitals

NHS Trust



Patient information

Bronchial Challenge Test

Medical Directorate - Cardio Respiratory Department

Royal Liverpool Hospital and Broadgreen Hospital

PIF 777/V3

Your Consultant / Doctor has advised you to have a Bronchial Challenge Test

What is a bronchial challenge test?

This test assesses how your airways (the tubes leading to your lungs) respond to a stimulus, in this case Metacholine.

Metacholine is a natural stimulus and when inhaled at high doses will cause the airways to constrict (tighten) causing shortness of breath, wheeze or cough.

This is a normal reaction, but when the airways constrict at lower doses it shows your airways are too responsive to a stimulus, and this may be the cause of your shortness of breath, wheeze or cough.

What are the benefits of having a bronchial challenge test?

The aim of a bronchial challenge test is to find out if your airways are over sensitive to certain stimulus. This stimulus could be the cause of your asthma or cough.

What are the risks of having a bronchial challenge test?

This is a safe procedure. However, as with many procedures, it does carry risks. There is a very small risk of anaphylactic shock (severe, sometimes life-threatening reaction). The staff will observe you closely during the test.

If you have had a severe reaction to anything at all in the past, please inform the staff when you arrive.

You will not be able to have this test if you have suffered a heart attack or stroke recently, or are pregnant or breastfeeding.

Are there any alternative investigations available?

There is no alternative way of obtaining the information required from this test.

What will happen if I decide not to have this investigation?

Your level of service will not be affected if you decide not to have the test. However, your doctor/consultant will not be able to obtain the necessary information that would have been gathered from performing the test.

Getting ready for your bronchial challenge test

• Do not take any antihistamines for 48 hours before the test.

The day of your bronchial challenge test

What happens during the test?

You will be asked to inhale (breathe in) small amounts of metacholine through a nebuliser. The amount will be increased gradually throughout the test.

After each amount of metacholine, you will need to perform a short breathing test to measure your lung function, something that you have probably done before. This is continued until your breathing test results fall to a certain level, after which you will be given Ventolin through a nebuliser or MDI to dilate (open) your airways and your breathing test results will return to normal. The nebuliser will relieve any wheeziness, shortness of breath or chest tightness that you had during the test.

The test may last up to one and a half hours depending upon your reaction speed to the metacholine.

Going Home

The staff will monitor you until you have recovered. You will then be allowed to leave the unit.

Returning to work

You can return to your work straight after your appointment unless told otherwise on the day of your test.

Further Appointments

Your consultant will give you the results at your next clinic appointment.

Further Information

Cardio Respiratory Department

Tel: 0151 706 2710

Text phone number: 18001 0151 706 2710

Simon Noble Senior Chief Clinical Physiologist Cardio Respiratory Department

Tel: 0151 706 2710

Text phone number: 18001 0151 706 2710

Author: Cardio Respiratory Department

Review Date: August 2017

All Trust approved information is available on request in alternative formats, including other languages, easy read, large print, audio, Braille, moon and electronically.

يمكن توفير جميع المعلومات المتعلقة بالمرضى الموافق عليهم من قبل انتمان المستشفى عند الطلب بصبغ أخرى، بما في ذلك لخات أخرى وبطرق تسهل قراعتها وبالحروف الطباعية الكبيرة وبالصوت وبطريقة برايل للمكفوفين ويطريقة مون والكترونيا.

所有經信托基金批准的患者資訊均可以其它格式提供,包括其它語言、易讀閱讀軟件、大字

體、音頻、盲文、穆思體(Moon)盲文和電子格式,敬請索取。

در صورت تمایل میتوانید کلیه اطلاعات تصویب شده توسط اتحادیّه در رابطه با بیماران را به اشکال مختلف در دسترس داشته باشید، از جمله به زبانهای دیگر، به زبان ساده، چاپ درشت، صوت، خط مخصوص کوران، مون و بصورت روی خطی صوجود است.

ز انباریی پیوهندیدار به و نهخوشانه ی لهلایهن **تر استه و ه** پهسهند کر اون، نهگهر داوا بکریت له فورمانه کانی تر دا بریتی له زمانه کانی تر، نیزی رید (هاسان خویندنه وه)، چایی گهوره، شریتی دهنگ، هیلی موون و نهایکترونیکی هایه.

所有经信托基金批准的患者信息均可以其它格式提供,包括其它语言、易读阅读软件、大字体、音频、盲文、穆恩体(Moon)盲文和电子格式,敬请索取。

Dhammaan warbixinta bukaanleyda ee Ururka ee la oggol yahay waxaa marka la codsado lagu heli karaa nuskhado kale, sida luqado kale, akhris fudud, far waaweyn, dhegeysi, farta braille ee dadka indhaha la', Moon iyo nidaam eletaroonig ah.