

Patient information

Minimal Phototoxic Dose (MPD PUVA)

Dermatology Department

An MPD is a safety test performed before PUVA light treatment. It is performed to ensure that you are started on the correct dose of PUVA light. If you start on too low a dose, the light dose will not be high enough to treat your condition. If you are started on too high a dose a sunburn type reaction may occur.

The test may also detect other skin conditions that have not been diagnosed, or that are made worse by the light.

How is an MPD performed?

Take Psoralen tablets with a light meal (avoiding fatty food) two hours before the MPD test.

You will be asked to lie face down on a couch. A skin-testing unit with six holes will be placed onto your back. The rest of your skin will be protected with black cloths. A portable fluorescent lamp will then deliver the UVA light to the back.

During this time you will be aware of clicking noises as the flaps close one by one to cover the holes and give you six doses of light. This procedure takes approximately ten minutes. The area tested will be marked with a pen. You will be asked to return in 72 hours for the area to be assessed.

Eye protection during PUVA

Protective glasses should be worn during PUVA and you must wear them from the time you take the Psoralen tablets until you go to bed on the two days per week you have PUVA. The eyes are made more sensitive to the effects of light by the tablets.

Advice during MPD

Do:

- Inform nurses of new medications.
- Keep the area dry.

Do not:

- Sunbathe or use sunbeds.
- Wear cosmetics / perfumes.

Broadgreen Hospital PIF 631 V7

- Eat certain foods that contain natural psoralens e.g. celery, parsnips, figs on the days you are having treatment as these may increase your sensitivity to the light treatment.
- Use steroid creams on the MPD area.

Side effects of MPD

- Psoralen tablets can cause sickness and vomiting if this occurs there are alternatives.
- Itching.
- Skin redness, burning, soreness and blistering at site of MPD.
- Freckles, tanning.
- Skin pigment change at MPD site.

Feedback

Your feedback is important to us and helps us influence care in the future.

Following your discharge from hospital or attendance at your outpatient appointment you will receive a text asking if you would recommend our service to others. Please take the time to text back, you will not be charged for the text and can opt out at any point. Your co-operation is greatly appreciated.

Further information

Lynn Owens
Specialist Nurse
Phototherapy Unit (off ward 4)
Level 2, Alexandra Wing
Broadgreen Hospital
Tel: 0151 282 6892

Text phone number: 18001 0151 282 6892

Author: Dermatology Department

Review date: February 2026

Broadgreen Hospital PIF 631 V7

All Trust approved information is available on request in alternative formats, including other languages, easy read, large print, audio, Braille, moon and electronically.

يمكن توفير جميع المعلومات المتعلقة بالمرضى الموافق عليهم من قبل انتمان المستشفى عند الطلب بصيغ أخرى، بما في ذلك لغات أخرى وبطرق تسهل قراءتها وبالحروف الطباعية الكبيرة وبالصوت وبطريقة برايل للمكفوفين وبطريقة مون والكترونيا.

所有經信托基金批准的患者資訊均可以其它格式提供,包括其它語言、易讀閱讀軟件、大字

體、音頻、盲文、穆恩體(Moon)盲文和電子格式,敬請索取。

در صورت تمایل میتوانید کلیه اطلاعات تصویب شده توسط اتحادیه در رابطه با بیماران را به اشکال مختلف در دسترس داشته باشید، از جمله به زبانهای دیگر، به زبان ساده، چاپ درشت، صوت، خط مخصوص کوران، مون و بصورت روی خطی موجود است.

زانیاریی پیّومندیدار به و نهخو شانه ی لهلایهن تراسته و پهسهند کراون، ئهگهر داوا بکریّت له فورماته کانی تردا بریتی له زمانه کانی تر و نهلیّکتروّنیکی همیه. زمانه کانی تر و نهلیّکتروّنیکی همیه.

所有经信托基金批准的患者信息均可以其它格式提供,包括其它语言、 易读阅读软件、大字体、音频、盲文、穆恩体(Moon)盲文和电子格式,敬请索取。

Dhammaan warbixinta bukaanleyda ee Ururka ee la oggol yahay waxaa marka la codsado lagu heli karaa nuskhado kale, sida luqado kale, akhris fudud, far waaweyn, dhegeysi, farta braille ee dadka indhaha la', Moon iyo nidaam eletaroonig ah.

Broadgreen Hospital PIF 631 V7