

Nipple Reconstruction Patient Information

Aintree University Hospital NHS Foundation Trust

Where quality matters

Breast Unit Elective Care Centre Lower Lane Liverpool L9 7AL Tel:0151-529-4082

Nipple Reconstruction & Nipple Tattoo

The last stage of your breast reconstruction is to make a new nipple for you. The new nipple is made in two stages:

The new nipple can be formed using the skin on your reconstructed breast or by nipple 'sharing' technique from the other breast.

After at least a couple of months, this new nipple can be tattooed to colour match your other nipple.

What is Nipple Reconstruction?

This is a relatively simple operation done under a local anaesthetic.

The skin on your reconstructed breast will be frozen by an injection of local anaesthetic, but you remain awake.

Nipple-sharing

This involves removing part of the other nipple and grafting it onto the reconstructed breast, resulting in two smaller nipples of the same colour and texture.

Local anaesthesia is drug-induced numbness: it may be provided by an anaesthetist, surgeon or other healthcare professional, depending on the technique used.

Unfortunately, local anaesthesia can cause side effects and complications.

Side effects are common, but are usually short-lived: they include nausea, confusion and pain.

Complications are rare, but can cause lasting injury: they include awareness, paralysis and death.

Benefits and risks

On the whole the nipple reconstruction with surgery is a very satisfying procedure and most women are pleased with the result.

- As in any surgical procedure there is a small risk of bleeding or infection.
- Very rarely the skin flaps may not survive resulting in loss of the nipple.
- It is very difficult to match the two nipples exactly and usually some difference persists.
- The nipple projection always flattens to some extent in time. Sometimes it can flatten significantly and may need reconstruction again.

If you are worried about any of these risks, please speak to your Consultant or a member of a team.

What are the alternatives to this procedure?

Moulded plastic prosthesis

If you do not want further surgery, a very realistic nipple areola complex, matching with the other side can be custom-made as a stick-on prosthesis.

However sticking of the prosthesis can sometimes be tricky.

Before the operation

The site of the new nipple will be marked before your operation and then the skin in

Leaflet Name Nipple Reconstruction Leaflet Lead Name:Dawn Johnson Date Leaflet Developed: 29/01/2013 Date Leaflet Approved: 28/02/2013 Issue Date: 11/06/2013 Review Date: 01/06/2016

Page 1 of 3 Ref: 1539 Version No: 1 that area will be moved and readjusted to create the nipple itself.

This usually takes about 30 minutes, and is usually not too painful.

This will be done as a day case, and you can go home the same day after your operation.

Even though you were not put to sleep for this operation, we suggest that you arrange for someone to collect you if possible.

After your operation

You will have a nipple guard and dressing covering the reconstructed nipple.

These dressings should be left in place until your clinic appointment which be arranged for 1-2 weeks after your operation.

There may be a slight oozing of blood from the area. Press gently with a piece of gauze for five minutes.

It will usually stop after about five to ten minutes. If bleeding continues contact the breast nurses for advice.

If you notice any change of colour in the nipple, severe pain, marked swelling or redness please contact the hospital for advice.

You will be offered pain-killers while in hospital and given pain-killers to take home.

Healing may take up to two weeks.
The scars will be quite noticeable for between three and six months and will fade slowly over the next few months.
After a nipple reconstruction you should be able to resume your normal activities within a few days.

Nipple Tattoo

This procedure is performed approximately three months after the nipple reconstruction, as the scars from this need to settle down. This is done within the breast clinic.

The colour of the new nipple is matched with the colour of your nipple on the other breast.

A light dressing is put on the area following the procedure. You will be okay to go home the same day.

It is probably wise to have the rest of the day off, but you should be able to go to work the following day, although you will have a light dressing in place and you should keep this area dry for the two weeks

Further Appointments

You will be given an appointment to come back to a follow up clinic 1-2 weeks following your operation, so we can check your progress.

Further Information

Breast Care Nurse

Tel: 0151 529 4082 (24 hour answer phone)

Fax: 0151 529 0151

Breast Cancer Care

Tel: 0808 800 6000

(freephone)

E-mail: www.breastcancer.co.uk

Leaflet Name Nipple Reconstruction Leaflet Lead Name:Dawn Johnson Date Leaflet Developed: 29/01/2013 Date Leaflet Approved: 28/02/2013 Issue Date: 11/06/2013

Review Date: 01/06/2016

Page 2 of 3 Ref: 1539 Version No: 1 Aintree University Hospitals NHS Foundation Trust is not responsible for the content of any material referenced in this leaflet that has not been produced and approved by the Trust.







If you require a special edition of this leaflet

This leaflet is available in large print, Braille, on audio tape or disk and in other languages on request. Please contact the Customer Services on:

ان كنت تريد نسخة خاصة من هذا الكتيب يمكنك الحصول على هذا الكتيب بطباعة اكبر او بطريقة برايل للمكفوفين او على شريط او مطبوع على سيدي و للحصول عليك الاتصال بنا على الرقم التالي:

如果需要持米廳最高個專單

根據需要 這個轉可以加大列印 添加宜文 其性語 並且可以做成遊騰等或者光碟。如果有什麼需要、講練緊 客服:

Si vous avez besoin d'une brochure adaptée pour malvoyants

Vous pouvez obtenir, sur demande, ce prospectus imprimé en grands caractères, en Braille, en livre audio (cassette ou disque compact) ou dans une autre langue. Veuillez contacter le service clientèle au:

यदि आप इस पुस्तिका की एक विशेष संस्करण की आवश्यकता होती है तो

इस पुस्तिका बड़े प्रिंट, ब्रेल (उत्कीर्ण लेखा)में, ऑडियो टेप या डिस्क और अन्य भाषाओं में अनरोध पर उपलब्ध है। कृपया कस्टमर सर्विसिस (ग्राहक सेवा)से उपर दिए गए नंबर पर संपर्क करेः

Si necesita una edición especial de este folleto

Este folleto está disponible en letra grande, en Braille, en cintas de audio o en disco y en otras lenguas a petición. Por favor, contacte con el Servicio de Atención al cliente en:

Haddii aad u baahantahay cadad khaas ah oo ah warqadan

Warqadan waxaad ku heli kartaa haddii aad codsato iyadoo ku qoran far balaadhan, Braille (waa farta ay akhriyaan dadka indhaha la'), iyadoo hadal cajalad ama disk ku duuban ama ku turjban luqad kale. Fadlan ka la soo xidhiidh Adeega Macaamiisha:

اگر آپکو اِس معلوماتی پرچے کی خصوصی

اشاعت درکار ہے یہ معلوماتی پرچہ بڑی لکھائ، بریل (اندھوں کا رسم الخط) سماعت كرنم والى ثيب يا تسك يا پهر اور زبانوں ميں در خواست پر دستیاب ہے برائے مہربانی کسٹمرسروس سے دیئے گے نمبر پر رابطہ کریں:

Os oes arnoch angen rhifyn arbennig o'r daflen hon

Mae'r daflen hon ar gael mewn print bras, Braille, ar dâp sain neu ddisg ac mewn ieithoedd eraill ar eich cais. Cysylltwch â Gwasanaethau i Gwsmeriaid ar:

W przypadku, gdy potrzbujesz specjalnego wydania tej broszury

Broszura ta jest dostępna w duzej trzcionce, Braille'u, na kasecie do odsluchu lub na dysku jak rowniez w innych jezykach na zyczenie. Prosimy o kontakt z Serwisem dla klientow pod numerem:







Telephone 0151 529 3287 Textphone 0151 529 2523

Fax 0151 529 2019

[for the hearing impaired]

Leaflet Name Nipple Reconstruction Leaflet Lead Name: Dawn Johnson Date Leaflet Developed: 29/01/2013

Date Leaflet Approved: 28/02/2013 Issue Date: 11/06/2013

Review Date: 01/06/2016

Page 3 of 3 Ref: 1539 Version No: 1